

JEDNOKRATNA ZAŠTITNA MASKA

TROSLOJNA MASKA SA LASTIŠEM



3 SLOJA
ZAŠTITE

Sadržaj

- 03** Sertifikat o usaglašenosti proizvoda
- 04** Izveštaj testiranja
- 05** Proizvodna linija
- 06** Specifikacija proizvoda
- 08** Pakovanje
- 10** Kako se koristi maska



Sertifikat o usaglašenosti proizvoda

Sertifikat o usaglašenosti proizvoda je dokument izdat od strane stručnog tela kojim se potvrđuje da je proizvod ili usluga u skladu sa zakonom predviđenim standardima.

Standard: EN 149:2001 + A1:2009

Regulativa: (CN) GB2626-2006


Regulativa: (EU) 2016/425

Ovim standardom utvrđuje se minimum zahteva za filtrirajuće maske za zaštitu od čestica, kao sredstva za zaštitu organa za disanje, osim u slučaju evakuacije.

Laboratorijska ispitivanja i ispitivanja performansi na korisniku vrše se radi ocenjivanja usaglašenosti sa zahtevima.



04 || Pro Safe jednokratna zaštitna maska

 Test Report Report No.: VIC200319-AHQ17-CE-S Applicant: Anhui Hongqing Protective Equipment Co. LTD. Product: Disposable face mask Standard(s): EN 149:2001+A1:2009 VIC TESTING AND CERTIFICATION LTD	VIC TESTING AND CERTIFICATION LTD VIC TEST REPORT EN 149:2001+A1:2009 Respiratory protective devices Filtering half masks to protect against particles Requirements, testing, marking VIC200319-AHQ17-CE-S signature) : Peter Chen nature) : David Zhang date : 2020-03-19 page : 25 b) : VIC TESTING AND CERTIFICATION LTD rt) : CHASE BUSINESS CENTRE (CHD), 39-41 CHASE SIDE LONDON, N14 6BP, U.K. se) : Anhui Hongqing Protective Equipment Co. LTD. : No.1 Xingyuan Xi Road,Tongcheng Economic Development Zone, Anqing City, Anhui Province, China : Anhui Hongqing Protective Equipment Co. LTD. : No.1 Xingyuan Xi Road,Tongcheng Economic Development Zone, Anqing City, Anhui Province, China : EN 149:2001+A1:2009 : CE ethod) : - in) : Disposable face mask : - on) : 175*95MM,145*95MM nted in this report relate only to the object tested. This report shall not be reproduced, the written approval of the Laboratory. The authenticity of this Test Report and its ed by contacting the Laboratory, responsible for this Test Report. 319-AHQ17-CE-S Page 1 of 25	VIC TESTING AND CERTIFICATION LTD VIC <table> <tr> <th colspan="2">EN 149:2001</th></tr> <tr> <th>Clause</th><th>Requirement + Test</th></tr> <tr> <td>10.3</td><td> The information supplied by the manufacturer shall contain all information necessary for and qualified persons on - application/limitations; - the meaning of any colour coding; - checks prior to use; - donning, fitting; - use; - maintenance (e.g. cleaning, disinfecting) applicable; - storage; - the meaning of any symbols/pictograms of the equipment. </td></tr> <tr> <td>10.4</td><td>The information shall be clear and comprehensible. If helpful, illustrations, pictures, markings shall be added.</td></tr> <tr> <td>10.5</td><td> Warnings shall be given against problems to be encountered, for example: - fit of particle filtering half mask (check use); - it is unlikely that the requirements for will be achieved if facial hair passes the face seal; - air quality (contaminants, oxygen deficit); - use of equipment in explosive atmospheres. </td></tr> <tr> <td>10.6</td><td>The information shall provide recommendations as to when the particle filtering half mask is discarded.</td></tr> <tr> <td>10.7</td><td>For devices marked "NFR", a warning shall be given that the particle filtering half mask is to be used for more than one shift.</td></tr> </table> Report No.:VIC200319-AHQ17-CE-S	EN 149:2001		Clause	Requirement + Test	10.3	The information supplied by the manufacturer shall contain all information necessary for and qualified persons on - application/limitations; - the meaning of any colour coding; - checks prior to use; - donning, fitting; - use; - maintenance (e.g. cleaning, disinfecting) applicable; - storage; - the meaning of any symbols/pictograms of the equipment.	10.4	The information shall be clear and comprehensible. If helpful, illustrations, pictures, markings shall be added.	10.5	Warnings shall be given against problems to be encountered, for example: - fit of particle filtering half mask (check use); - it is unlikely that the requirements for will be achieved if facial hair passes the face seal; - air quality (contaminants, oxygen deficit); - use of equipment in explosive atmospheres.	10.6	The information shall provide recommendations as to when the particle filtering half mask is discarded.	10.7	For devices marked "NFR", a warning shall be given that the particle filtering half mask is to be used for more than one shift.	VIC TESTING AND CERTIFICATION LTD VIC Photo document:  Fig. 1 Overview  Fig. 2 Overview — End of report — Report No.:VIC200319-AHQ17-CE-S Page 25 of 25
EN 149:2001																	
Clause	Requirement + Test																
10.3	The information supplied by the manufacturer shall contain all information necessary for and qualified persons on - application/limitations; - the meaning of any colour coding; - checks prior to use; - donning, fitting; - use; - maintenance (e.g. cleaning, disinfecting) applicable; - storage; - the meaning of any symbols/pictograms of the equipment.																
10.4	The information shall be clear and comprehensible. If helpful, illustrations, pictures, markings shall be added.																
10.5	Warnings shall be given against problems to be encountered, for example: - fit of particle filtering half mask (check use); - it is unlikely that the requirements for will be achieved if facial hair passes the face seal; - air quality (contaminants, oxygen deficit); - use of equipment in explosive atmospheres.																
10.6	The information shall provide recommendations as to when the particle filtering half mask is discarded.																
10.7	For devices marked "NFR", a warning shall be given that the particle filtering half mask is to be used for more than one shift.																

Proizvodna linija

Proizvodnja maski odvija se u strogo kontrolisanim i sterilnim uslovima.



Specifikacija proizvoda

- Visokokvalitetni materijali
- Efikanost u filtriranju bakterija (BFE): 80%
- Klasa: FFP2
- 3 sloja zaštite od aerosola
- Jednokratna upotreba
- Visoka zaštita
- Sa lastišem
- Bez lateksa
- Prilagođava se svakom obliku lica zahvaljujući specijalnom dodatku za nos
- Boja: plava
- Otporna na vlagu
- Nije toksična
- Ne iritira kožu
- Meka i udobna za nošenje



Trostruko
presavijena



Višeslojna
maska



Prilagođavanje
obliku nosa




Zaštitni
materijal



spunbond (pp)

meltblown (pp)

spunbond (pp)






3 EFIKASNA SLOJA ZAŠTITE OD AEROSOLA



ELASTIČNE TRAKE ZA UŠI, BEZ
POTREBE VEZIVANJA



MEKANA I PRIJATNA ZA NOŠENJE



PRILAGOĐAVA SE SVAKOM OBLIKU
LICA ZAHVALJUJUĆI SPECIJALNOM
DODATKU ZA NOS



OTPORNA NA VLAGU, NE IRITIRA KOŽU



Pakovanje

Broj komada u pakovanju: 50 kom
50kom/kesica/kutija, 2000kom/kutija, B.T: 8.2 kg N.T: 7.6kg



Pakovanje

40000 kom/ 20 kutija/ paleta 120 x 80 cm



prednja strana




zadnja strana

Kako se koristi maska



ORERITE RUKE
TOPLOM VODOM I
SAPUNOM



TAMNA STRANA MASKE
IDE SA SPOLJAŠNJE
STRANE



POSTAVITE MASKU
PREKO LICA



LASTIŠE ZATEGNITE I
POSTAVITE PREKO UŠIJU



PRIČVRSTITE MASKU
TAKO DA SE
PRILAGODI OBLIKU
NOSA



PREVUCITE MASKU
PREKO BRADE



MASKA TREBA DA
POKRIJE NOS, USTA I
BRADU



MASKA JE PRAVILNO
NAMEŠTENA

#stay**safe**

